Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7098	authenticat\$3 near1 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:52
L2	7098	(authenticat\$3 near1 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:52
L3	577	(authenticat\$3 near1 server).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:52
L4	0	(authenticat\$3 near1 server).ti. and storage and user near1 device\$1 and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:53
L5	18	(authenticat\$3 near1 server).ti. and storage and device\$1 and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:59
L6	20926242	(authenticat\$3 near1 server).ti. and receiv\$3 with decrypt\$3 with (data or message\$1) @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:00
L7	6	(authenticat\$3 near1 server).ti. and receiv\$3 with decrypt\$3 with (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:05
L8	0	(authenticat\$3 near1 server).ti. and server near2 send with decrypt\$3 with (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:05

,	ار		•

		<u></u>				· · · · · · · · · · · · · · · · · · ·
L9	0	(authenticat\$3 near1 server).ti. and server near2 send\$3 with decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:05
L10	0	(authenticat\$3 near1 server).ab. and server near2 send\$3 with decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:05
L11	5	(authenticat\$3 near1 server) and server near2 send\$3 with decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:09
L12	0	erver near1 send\$3 with decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:09
L13	8	server near1 send\$3 with decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:17
L14	433	server with decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:47
L15	64	receiv\$1 near2 decrypt\$3 near1 (data or message\$1) and @ad<="20010629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 16:48